

1/19






FIG. 1

2/19

**FIG. 2A**



**FIG. 2B**



3/19

FIG. 3A





FIG. 3B



4/19

FIG. 4A





FIG. 4B



5/19

FIG. 5A






FIG. 5B



6/19



**FIG. 6**

7/19




FIG. 7

8/19




FIG. 8



9/19

FIG. 9A






FIG. 9B




10/19

FIG. 10B



Human keratinocytes

FIG. 10A



Human skin

11/19




FIG. 11

12/19




FIG. 12

13/19




FIG. 13

14/19




FIG. 14

15/19




FIG. 15

16/19




FIG. 16




17/19

# FIG. 17A

## Scheme 1


Glc	Intracellular glucose
Pyr	Pyruvate
Gl-6-P	Glucose-6-phosphate
Gl-1-P	Glucose-1-phosphate
UDP-Glc	UDP-glucose
GluT	Glucose transporter protein



18/19


## FIG. 17B

Scheme 2. Overview of metabolic pathways for glucose in epidermis




## FIG. 17C

Scheme 3. Structure of generic pH sensitive dye for specific action as a lactate/H<sup>+</sup> SMMR




19/19



Scheme 4. *In Vivo* Calibration Issues

FIG. 17D



\*Target Analytes (direct or indirect)

GLUCOSE GLYCOLYSIS

FIG. 18